

PRIVA-LITE PRE-FRAMED

COMFORT | PRIVACY | DESIGN



PRIVA-LITE PRE-FRAMED

'You like the unique effect of changeable translucency offered by the PRIVA-LITE glass, but you are afraid to order many glass panels, afraid of the work of the assembly team, and of the time necessary to make the room where you wish to install the glass accessible again?'

Your solution is PRIVA-LITE PRE-FRAMED, prepared in the 'PLUG AND PLAY' system. You order one framed glass pane, you install it as an element of your wall, you just plug it in and ... here you go! You can enjoy the unique effect of smart glass.

OFF



ON



SPECIFICATION

The PRIVA-LITE PRE-FRAMED set consists of three elements:


- 1. a glass panel in a profile frame,
- 2. a remote control receiver,
- 3. a panel (box) with electronics.

You can order the set with PRIVA-LITE CLASSIC or PRIVA-LITE XL.




PRIVA-LITE PRE-FRAMED

SEE WHAT OPPORTUNITIES ARE OFFERED BY THE 'PLUG AND PLAY' SYSTEM



ON Unique partition wall



ON
Extraordinary internal window



OFF

A unique partition wall, which will guarantee access of the natural light, or privacy in its opaque state.



OFF

Installed in a wall opening, it will give an effect of an extraordinary internal window, the transparency of which can be changed by means of a remote control.






ON



OFF

REAR PROJECTION SCREEN

You can also place PRIVA-LITE PRE-FRAMED near an existing glass wall, or place it simply in the middle of your office and enjoy the function of a rear projection screen.



You like doing everything personally? It is very easy to install PRIVA-LITE PRE-FRAMED, so if you like doing DIY, you can install this set yourself with no problem at all.



Specification



DIMENSIONS AND THICKNESSES

Our standard glass panes are 55.4 (12 mm) thick. You can order the PRIVA-LITE CLASSIC glass panels in the size 1000 x 3000 mm.



OPERATING CONDITIONS

PRIVA-LITE CLASSIC operates most efficiently in temperatures ranging from -20 to 60°C .



POWER SUPPLY

The system operates with the voltage of $220-230\ \text{V}$.



ACOUSTIC INSULATION

You appreciate silence? PRIVA-LITE CLASSIC guarantees the Rw coefficient of 38 dB.

UNIQUE 'PLUG AND PLAY'
SMART GLASS

